



Surface Mounted Flow Plate Galvanised





The AUTOPA Surface Mounted Flow Plates control traffic flow to one direction and are designed to work in groups to ensure full lane coverage. As a vehicles passes over the plate, the flap is pushed over allowing the vehicle to pass. Once the vehicle has passed the flap returns to its upright position.

Manufactured from heavy duty steel which is the galvanised to ensure longevity and is coated yellow to maximise visibility.

The AUTOPA One Way Flow Plate is not recommended for HGV use.

Can be used in conjunction with AUTOPA Speed Ramp to achieve the required 5mph drive over speed. Good street illumination should be used to ensure adequate visibility.



Part Number 138 106 402 <u>Description</u>
Surface Mounted Flow Plate

Weight (kg) 7kg

Product details

- 360mm x 250mm x 45mm (length x width x height; flap closed)
- 360mm x 250mm x 110mm (length x width x height; flap open)
- · 10mm galvanised steel plate
- Recommended minimum vehicle clearance 150mm

Installation & use

Surface Mounted Flow Plates require fixing to a suitable concrete surface using appropriate M12 bolts.

Flow Plates should be positioned such that vehicles can only approach them head on.

Suitable road signs should be installed advising drivers to use of Surface Mounted Flow Plates and to slow to 5mph.

This product is guaranteed for 12 months (if installed correctly).



www.autopa.co.uk +44 (0)1788 550556

